

LERNER AND GREENBERG, P.A.

PATENT ATTORNEYS AND ATTORNEYS AT LAW

Hollywood, Florida 33020 Tel: (954) 925-1100 Fax: (954) 925-1101

2200 Hollywood Boulevard

www.patentusa.com patents@patentusa.com

New York Office 153 E 57th Street Suite 15G New York, NY 10022

Ralph E. Locher (FL, IL, MO Bars) Manfred Beck (US & German Pat Agent) Mark P. Weichselbaum (TN Bar) Gregory L. Mayback (FL Bar) Markus Nolff (FL Bar) Otto S. Kauder (Reg Pat Agent)

Adam A. Jorgensen (Reg Pat Agent)

Werner H. Stemer (FL Bar), Senior Attorney

Herbert L. Lerner (NY Bar)

Laurence A. Greenberg (FL Bar)

Mailing Address: Post Office Box 2480 Hollywood, FL 33022-2480

"Express Mail" mailing label number: EL080658006US Date of Deposit: February 9, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Docket No.: 2526/207-131

Date: February 9, 2000

Hon. Commissioner of Patents and Trademarks

Washington, D.C. 20231

Sir:

Enclosed herewith are the necessary papers for filing the following application for Letters Patent:

Applicant Friedhelm Beckmann

Title Sound And Heat Insulation Material

1 sheet of formal drawings in triplicate.

A check in the amount of \$363.00 covering the filing fee.

This application is being filed without a signed oath or declaration under the provisions of 37 CFR 1.53(d). Applicant awaits notification of the date by which the oath or declaration and the surcharge are due, pursuant to this rule.

The Patent and Trademark Office is hereby given authority to charge Deposit Account No. 12-1099 of Lerner and Greenberg, P.A. for any fees due or deficiencies of payments made for any purpose during the pendency of the above-identified application.

Respectfully submitted,

For Applicant

LAG:bb

WERNER H. STEMER REG. NO. 34,956

Attorney's Docket No: 2526/207-131

Applicants: Friedhelm Beckmann Filed : Concurrently herewith

Title : SOUND AND HEAT INSULATION MATERIAL

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(F) AND 1.27(B)) - INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled SOUND AND HEAT INSULATION MATERIAL described in the specification filed herewith.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). Each person, concern or organization to which I have assigned, granted, conveyed, or licensed, or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- () no such person, concern, or organization:
- (X) persons, concerns or organizations listed below:

Full Name of Concern <u>Möller Plast GmbH</u>
Address of Concern <u>Kupferhammer, D-33649 Bielefeld, Germany</u>
()Individual (X)Small Business Concern () Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

FRIEDHELM BECKMANN		
Name of Inventor	Signature of the Inventor	Date

Attorney's Docket No: 2526/207-131

Applicants: FRIEDHELM BECKMANN Filed : Concurrently herewith

Title : SOUND AND HEAT INSULATION INSULATION MATERIAL

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

- () the owner of the small business concern identified below:
- () an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern <u>Möller Plast GmbH</u> Address of Concern <u>Kupferhammer</u>, 33649 Bielefeld, Germany

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third-party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed, to and remain with the small business concern identified above with regard to the invention, entitled SOUND AND HEAT INSULATION INSULATION MATERIAL by inventor FRIEDHELM BECKMANN, described in the specification filed herewith.

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who would not qualify as a independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and

further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING:	
TITLE OF PERSON OTHER THAN OWNER:	
ADDRESS OF PERSON SIGNING:	
SIGNATURE:	
DATE:	

25

SOUND AND HEAT INSULATION MATERIAL

Background of the Invention:

Field of the Invention:

The invention relates to a sound and heat insulation material for insulating buildings, motor vehicles, pipes, and the like. The sound and heat insulation material is made from fibers or similar substances to which a fire retardant is added.

These insulation materials serve to decrease the conduction of heat and the transmission of sound in buildings, motor vehicles, pipes and machinery. The insulation material is made, among other things, of natural and/or synthetic fibers which ignite under the influence of heat, with the concomitant danger of emitting toxic gases. Such insulation materials thus can present a significant danger for humans and their environment. For this reason, materials used for insulation must meet high standards not only for their properties of insulating sound transmission and heat conduction but also with regard to fire safety.

The addition of fire retardant materials, such as nitrogen,
borax, halogens or phosphorus containing compounds, produces a
clear increase in ignition temperature. Moreover, the action

of heat on the different materials used must not release any toxic gases. For this reason, when producing fiber mats and similar products, the fibers are held together by non-toxic binding materials, and the use of additional substances to further decrease toxic emissions is necessary.

These measures, which involve a coordinated addition of various flame retardant substances, depending on the respective requirements of the particular application, result in a significant increase in production expenditure and in an increased price for the insulation materials, in order to achieve the required fire protection properties. Moreover, these measures for decreasing the flammability and decreasing the emission of toxic gases do not satisfy the rising demands being made of such insulating materials.

Summary of the Invention:

It is accordingly an object of the invention to provide a sound and heat insulation material which overcomes the abovementioned disadvantages of the heretofore-known insulation materials of this general type and which has a significantly reduced flammability, compared to that of currently available insulation materials, and which can be produced with a reduced production expenditure at a reduced price.

With the foregoing and other objects in view there is provided, in accordance with the invention, a sound and heat insulation material having a core layer including at least one of fibers and fiber-type materials and having at least one outer surface, the at least one of fibers and fiber-type materials being provided with a fire retardant additive; and a covering layer including a reactivateable material for covering the core layer at the at least one outer surface, the reactivateable material being at least difficult to ignite and being foamable at a given temperature.

In other words, the object of the invention is achieved by a sound and heat insulation material with a core layer of fibers or similar substances and an additional fire retarding component, wherein at least one external surface of the core layer is covered with a layer of reactivateable material which is difficult or impossible to ignite and which foams up at a predetermined temperature.

At a certain temperature below the inflammation point, the reactive material foams up, so that the insulating core layer, which serves as the insulating layer, is isolated from high temperatures when the material is subjected to heat and, so that no oxygen, which is required for a combustion, can make its way to the flammable material of the core layer, or so that oxygen which is already present there cannot be

25

activated. An ignition of the core layer of the insulation material is delayed or completely prevented.

According to a further feature of the invention, two or more materials or layers of material, which are reactivateable at different temperatures, are used.

In accordance with another feature of the invention, the core layer is a heat insulating mat made of fibers and has on one or more exterior surfaces a sheet, a foil or a layer of fibers impregnated or interspersed with the reactive material or is coated with a surface active layer.

In accordance with yet another feature of the invention, two or more reactivateable fiber layers of differing thicknesses which foam up at different temperatures are provided.

In accordance with an advantageous feature of the invention, the fibers of the core layer itself are coated with a reactive material or mingled or interspersed with reactivateable fibers.

In accordance with another feature of the invention, the covering layer is a woven fabric or a knit fabric which includes fibers formed of the reactivateable material or coated or sprayed with the reactivateable material.

25

10

In accordance with yet another feature of the invention, the covering layer includes one or more reactivateable fiber layers having cut, foamable fibers scattered directly onto the core layer. The cut, foamable fibers have a given length and a given cross-sectional diameter. The cover layer may also include synthetic material, natural material, renewable material, carbon fibers or glass fibers. The core layer may include synthetic fibers, natural fibers, renewable fibers, glass fibers, mineral fibers or carbon fibers.

In accordance with a further feature of the invention, the reactivateable material is non-flammable or self-extinguishing.

In accordance with yet a further feature of the invention, a foil, a cardboard, or any sheet-like material can be attached to the outer surface of the core layer for producing a mat configuration.

Other features which are considered as characteristic for the invention are set forth in the appended claims.

Although the invention is illustrated and described herein as embodied in a sound and heat insulation material, it is nevertheless not intended to be limited to the details shown,

25

since various modifications and structural changes may be made therein without departing from the spirit of the invention and within the scope and range of equivalents of the claims.

The construction and method of operation of the invention, however, together with additional objects and advantages thereof will be best understood from the following description of specific embodiments when read in connection with the accompanying drawings.

10

Brief Description of the Drawing:

The single figure is a partial sectional view of a sound and heat insulation element according to the invention.

Description of the Preferred Embodiments:

Referring now to the single figure in detail there is shown the core layer 1 of the sound and heat insulation material which is made from a fiber mat or fiber batt that is installed in a wave-like manner. The fiber mat is formed for example of a natural substance made of renewable raw materials and/or of mineral fibers and/or of synthetic fibers. This fiber mat is impregnated with nitrogen or borax as a fire retardant additive. On one external surface of the core material 1 there is a fiber layer 2 which is reactivateable at 300°C and which has a thickness "a". On the opposite exterior surface there are two reactivateable fiber layers 3 and 4 of different

25

10

thicknesses "b" and "c" which foam up at 150°C and 300°C, respectively. The fiber layers 2, 3, and 4 are made from a woven or knit fabric with differing area weights of foamable The foamable fibers can also be made of a different material which is self-extinguishing. Optionally, a variable proportion of foamable fibers can be added to the core material 1. Instead of using a woven or knit fabric, the fiber layers 2 to 4 can also be made from scattered, cut fibers. In this case, the foamable fibers have different reaction temperatures. In order to form a cohesive mat or a composite mat out of the core material, it is possible to apply a foil, a sheet, cardboard, or similar facings to one or both sides.

At temperatures above 150°C and 300°C, respectively, the reactive, foamable material is reactivated, which means that it foams up so that the oxygen present in the fiber layers 2 to 4 or in the fibers themselves is not available for a combustion process and no oxygen can penetrate into the core material 1, that is, into the core layer. Since the core material 1 is completely insulated from the exterior by the foaming of the fiber layers 2 to 4 under the action of heat, the inflammation temperature is not reached there, and moreover, the oxygen present in the core layer is not available for a combustion.

In this way, a sound and heat insulation material is produced that provides good insulation properties with its exterior and interior fiber layers and that is difficult or impossible to ignite and virtually eliminates the possibility of producing toxic gases.

I claim:

1. A sound and heat insulation material, comprising:

a core layer including at least one of fibers and fiber-type materials and having at least one outer surface, said at least one of said fibers and fiber-type materials being provided with a fire retardant additive; and

a covering layer including a reactivateable material for covering said core layer at said at least one outer surface, said reactivateable material being at least difficult to ignite and being foamable at a given temperature.

- 2. The sound and heat insulation material according to claim

 1, including at least one further reactivateable material,

 said at least one further reactivateable material being

 foamable at a further given temperature different from said

 given temperature.
- 3. The sound and heat insulation material according to claim 1, wherein:

said core layer is a heat insulation mat including at least one element selected from the group consisting of natural fibers, mineral fibers and synthetic fibers; and

said covering layer includes at least one of a foil and a fiber layer.

- 4. The sound and heat insulation material according to claim
- 3, wherein said one of said foil and said fiber layer is impregnated with said reactivateable material.
- 5. The sound and heat insulation material according to claim
- 3, wherein said one of said foil and said fiber layer has a surface-active coating.
- 6. The sound and heat insulation material according to claim
- 3, wherein said fiber layer is one of a woven fabric and a knit fabric, said fiber layer includes fibers formed of said reactivateable material.
- 7. The sound and heat insulation material according to claim
- 3, wherein said fiber layer is one of a woven fabric and a knit fabric, said fiber layer includes fibers coated with said reactivateable material.
- 8. The sound and heat insulation material according to claim
- 3, wherein said fiber layer is one of a woven fabric and a knit fabric, said fiber layer includes fibers sprayed with said reactivateable material.

- 9. The sound and heat insulation material according to claim
 1, wherein said covering layer includes at least one
 reactivateable fiber layer having cut, foamable fibers
 scattered directly onto said core layer, said cut, foamable
 fibers having a given length and a given cross-sectional
 diameter.
- 10. The sound and heat insulation material according to claim

 1, wherein said covering layer includes at least one

 reactivateable fiber layer having at least one element

 selected from the group consisting of synthetic material,

 natural material, renewable material, carbon fibers and glass

 fibers.
- 11. The sound and heat insulation material according to claim

 1, wherein said reactivateable material is self-extinguishing,

 said covering layer includes fibers made from said

 reactivateable material.
- 12. The sound and heat insulation material according to claim

 1, wherein said at least one outer surface includes a first

 and a second outer surface, said first outer surface covered

 by a first material layer reactivateable at a first

 temperature, said second outer surface covered by a second

 material layer reactivateable at a second temperature

 different from said first temperature.

- 13. The sound and heat insulation material according to claim
 12, wherein at least one of said first and second material
 layers is a fiber layer.
- 14. The sound and heat insulation material according to claim
 12, wherein said first material layer has a first layer
 thickness, said second material layer has a second layer
 thickness different from said first layer thickness.
- 15. The sound and heat insulation material according to claim 1, wherein said at least one outer surface includes a given outer surface, said given outer surface is covered by a first material layer reactivateable at a first temperature and at least by a second material layer reactivateable at a second temperature different from said first temperature.
- 16. The sound and heat insulation material according to claim 15, wherein at least one of said material layers is a fiber layer.
- 17. The sound and heat insulation material according to claim 15, wherein said first material layer has a first layer thickness, said at least second material layer has a second layer thickness different from said first layer thickness.

- 18. The sound and heat insulation material according to claim

 1, wherein said core layer has substantial heat and sound

 insulation properties and includes at least one element

 selected from the group consisting of synthetic fibers,

 natural fibers, renewable fibers, glass fibers, mineral fibers


 and carbon fibers.
- 19. The sound and heat insulation material according to claim 18, wherein said fibers of said core layer are coated with a reactive, foamable material.
- 20. The sound and heat insulation material according to claim 18, wherein said fibers of said core layer include foamable fibers.
- 21. The sound and heat insulation material according to claim 1, including one of a foil, a cardboard, and a sheet-like material attached to said at least one outer surface for producing a mat configuration.
- 22. The sound and heat insulation material according to claim 1, wherein said reactivateable material is a non-flammable material.

10

Abstract of the Disclosure:

A sound and heat insulation material for insulating buildings, motor vehicles, conduits, etc., is covered on at least one exterior surface with a material which reacts at a given temperature by foaming up, and which is difficult to ignite or inflammable. The exterior covering can be a sheet or fiber layer which is impregnated with the reactive material or coated with it. The fibers of the sound and heat insulation core layer can also be directly coated with the reactive material or be mingled with a variable proportion of foamable fibers. The sound and heat insulation element, which is difficult or impossible to ignite, has good insulating properties.

MB/tq



Docket No.: 2526/207-131

COMBINED DECLARATION AND POWER OF ATTORNEY IN ORIGINAL APPLICATION

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SOUND AND HEAT INSULATION MATERIAL

described and claimed in the specification bearing that title, that I understand the content of the specification, that I do not know and do not believe the same was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve month prior to this application, that I acknowledge my duty to disclose information of which I am aware which is material to the examination of this application under 37 C.F.R. 1.56a, and that no application for patent or inventor's certificate of this invention has been filed earlier than the following in any country foreign to the United States prior to this application by me or my legal representatives or assigns:

German Application No. 199 05 226.3, filed February 9, 1999, the International Priority of which is claimed under 35 U.S.C. §119.

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

HERBERT L. LERNER (Reg.No.20,435) LAURENCE A. GREENBERG (Reg.No.29,308) WERNER H. STEMER (Reg.No.34,956) RALPH E. LOCHER (Reg.No.41,947)

Address all correspondence and telephone calls to:

LERNER AND GREENBERG, P.A.
POST OFFICE BOX 2480
HOLLYWOOD, FLORIDA 33022-2480
Tel: (954) 925-1100

Fax: (954) 925-1101

I hereby state that I have reviewed and understand the contents of the aboveidentified specification, including the claims, as amended by any amendment referred to above.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE IN	VENTOR:	FRIEDHELM BECKMANN
INVENTOR'S SIGNATURI	E:	
DATE:		
Residence: HIDDENHAU	JSEN, GERMANY	
Country of Citizenship:	GERMANY	
Post Office Address:	KASTANIENSTRASSE 16 D-32120 HIDDENHAUSEI GERMANY	